

EverFlash Tile Replacement Flashings

Patent Pending

TECHNICAL SHEET

- | | |
|------------------------------------------------------------|-------------------------------------------------------------------------|
| 1 Securement Tabs ▶ Holds flashing in place | 2 Built-In Water Diversion ▶ Flashing diverts water from hook |
| 3 Pre-Cut Hook Tabs ▶ Fold back for hook install | 4 Slide-In Technology ▶ Fewer tools required |


Flat Tile



S-Tile




W-Tile



EverFlash Flat TRF



Units: [in] mm



4000130 | EverFlash Flat Tile - R, Mill


Technical Data

| | EverFlash Flat Tile - R, Mill |
|-----------------|---------------------------------|
| Roof Type | Flat Tile |
| Material | 1000 series aluminum |
| Finish | Mill |
| Roof Connection | Optional roof nails |
| Compatibility | All K2 and 3rd party tile hooks |

EverFlash S TRF



Units: [in] mm




4000131 | EverFlash S-Tile - R, Mill


Technical Data

| | EverFlash S-Tile - R, Mill |
|-----------------|---------------------------------|
| Roof Type | S-Tile |
| Material | 1000 series aluminum |
| Finish | Mill |
| Roof Connection | Optional roof nails |
| Compatibility | All K2 and 3rd party tile hooks |

EverFlash W TRF



Units: [in] mm



4000132 | EverFlash W-Tile - R, Mill

Technical Data

| | EverFlash W-Tile - R, Mill |
|-----------------|---------------------------------|
| Roof Type | W-Tile |
| Material | 1000 series aluminum |
| Finish | Mill |
| Roof Connection | Optional roof nails |
| Compatibility | All K2 and 3rd party tile hooks |