



Control Relay, Square D, QO, 30A (Max), 240V

QO200PWX240

Product availability: Stock - Normally stocked in distribution facility

Price*: 500.00 USD

Main

range of product	Wiser
Product or Component Type	Control relay
Concentrator compatibility	Wiser hub generation 1
Mobile App name	Wiser by SE

Complementary

load power	5760 VA	
Communication network type	Wireless Zigbee 2.4 GHz), 2.5 mW < 50 m	
Height	4.2 in (106.7 mm)	
Width	7.5 in (190.5 mm)	
Depth	1.7 in (43.2 mm)	
Contacts type and composition	1 NC	
Range compatibility	QO Load Center	
system voltage	240 V AC 60 Hz	
Number of spaces	2	
maximum load current	30 A	
Tightening torque	11.86 lbf.in (1.34 N.m)	
AWG gauge	AWG 14AWG 8 copper AWG 12AWG 8 solid bare copper	

Environment

Standards CUL

Ordering and shipping details

Category	US1DE3A00105
Discount Schedule	DE3A
GTIN	785901904021
Returnability	Yes
Country of origin	CN

Packing Units

Unit Type of Package 1 PCE

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Number of Units in Package 1	1
Package 1 Height	1.70 in (4.31 cm)
Package 1 Width	4.20 in (10.66 cm)
Package 1 Length	7.50 in (19.05 cm)
Package 1 Weight	12.00 oz (340.19 g)



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

How this information helps you >

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No

Use Again

○ Repack and remanufacture	
Take-back	No